

AMC

Chemwatch: 02-1134 Version No: 10.1.1.1 Safety Data Sheet according to WHS and ADG requirements Chemwatch Hazard Alert Code: 0

Issue Date: **11/01/2019** Print Date: **03/31/2020** L.GHS.AUS.EN

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

| Product name | AMC SUPERLUBE™ |
|----------------------------------|------------------------|
| Synonyms | cutting oil; lubricant |
| Other means of identification | Not Available |

Relevant identified uses of the substance or mixture and uses advised against

Details of the supplier of the safety data sheet

| Registered company name | АМС |
|-------------------------|---|
| Address | 216 Balcatta Rd, Balcatta WA 6021 Australia |
| Telephone | +61 (8) 9445 4000 |
| Fax | +61 (8) 9445 4040 |
| Website | www.amcmud.com |
| Email | amc@imdexlimited.com |

Emergency telephone number

| Association / Organisation | Chemwatch | CHEMWATCH EMERGENCY RESPONSE |
|-----------------------------------|---------------|------------------------------|
| Emergency telephone numbers | 1800 039 008 | +61 1800 951 288 |
| Other emergency telephone numbers | Not Available | +61 2 9186 1132 |

Once connected and if the message is not in your prefered language then please dial 01

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

NON-HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

CHEMWATCH HAZARD RATINGS

| | Min | Max | |
|--------------|-----|-----|--------------------------|
| Flammability | 0 | | |
| Toxicity | 0 | | 0 = Minimum |
| Body Contact | 0 | 1 | 1 = Low |
| Reactivity | 0 | | 2 = Moderate 3 = High |
| Chronic | 0 | | 4 = Extreme |

| Poisons Schedule | Not Applicable |
|-------------------------------|----------------|
| Classification ^[1] | Not Applicable |

Label elements

| Hazard pictogram(s) | Not Applicable |
|---------------------|----------------|
|---------------------|----------------|

Page 2 of 9

SIGNAL WORD NOT APPLICABLE

Hazard statement(s)

Not Applicable

Precautionary statement(s) General

| P101 | If medical advice is needed, have product container or label at hand. |
|------|---|
| P102 | Keep out of reach of children. |

Precautionary statement(s) Prevention

Not Applicable

Precautionary statement(s) Response

Not Applicable

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

Not Applicable

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

| CAS No | %[weight] | Name |
|---------------|-----------|------------------------|
| Not Available | NotSpec | refined vegetable oils |
| 7757-82-6 | <5 | sodium sulfate |
| 102-71-6 | <1 | triethanolamine |

SECTION 4 FIRST AID MEASURES

Description of first aid measures

| Eye Contact | If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Seek medical attention without delay; if pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. |
|--------------|---|
| Skin Contact | If skin or hair contact occurs: Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation. |
| Inhalation | If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary. |
| Ingestion | Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor. |

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 FIREFIGHTING MEASURES

Extinguishing media

- Water spray or fog.
- Foam.

Special hazards arising from the substrate or mixture

Fire Incompatibility Avoid reaction with oxidising agents

| AMC S | SUPERL | UBE™ |
|-------|--------|------|
|-------|--------|------|

| Fire Fighting | Alert Fire Brigade and tell them location and nature of hazard. Wear full body protective clothing with breathing apparatus. |
|-----------------------|---|
| Fire/Explosion Hazard | Combustible. Slight fire hazard when exposed to heat or flame. |
| HAZCHEM | Not Applicable |

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

| Minor Spills | Remove all ignition sources. Clean up all spills immediately. |
|--------------|--|
| Major Spills | Moderate hazard. Clear area of personnel and move upwind. |

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

| Safe handling | Avoid all personal contact, including inhalation. Near protective clothing when risk of exposure occurs. |
|-------------------|---|
| Other information | Store in original containers. Keep containers securely sealed. |

Conditions for safe storage, including any incompatibilities

| Suitable container | Metal can or drum Packaging as recommended by manufacturer. Check all containers are clearly labelled and free from leaks. |
|-------------------------|--|
| Storage incompatibility | Avoid reaction with oxidising agents |

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

| Source | Ingredient | Material name | TWA | STEL | Peak | Notes |
|---------------------------------|-----------------|-----------------|---------|---------------|---------------|---------------|
| Australia Exposure Standards | triethanolamine | Triethanolamine | 5 mg/m3 | Not Available | Not Available | Not Available |

EMERGENCY LIMITS

| Ingredient | Material name | TEEL-1 | TEEL-2 | TEEL-3 | |
|-----------------|--|---------------|---------------|-------------|--|
| sodium sulfate | Sodium sulfate, anhydrous | 9.8 mg/m3 | 110 mg/m3 | 650 mg/m3 | |
| triethanolamine | Triethanolamine; (Trihydroxytriethylamine) | 15 mg/m3 | 240 mg/m3 | 1,500 mg/m3 | |
| | | | | | |
| Ingredient | Original IDLH | Revised IDLH | | | |
| sodium sulfate | Not Available | Not Available | Not Available | | |
| triethanolamine | Not Available | Not Available | Not Available | | |

OCCUPATIONAL EXPOSURE BANDING

| Ingredient | Occupational Exposure Band Rating | Occupational Exposure Band Limit |
|----------------|-----------------------------------|----------------------------------|
| sodium sulfate | E | ≤ 0.01 mg/m³ |

Notes:

Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health.

MATERIAL DATA

Exposure controls

| Appropriate engineering controls | Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. |
|-------------------------------------|--|
| Personal protection | |
| Eye and face protection | Safety glasses with side shields. Chemical goggles. |
| Skin protection | See Hand protection below |
| Hands/feet protection | The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Wear chemical protective gloves, e.g. PVC. • Wear safety footwear or safety gumboots, e.g. Rubber |
| Body protection | See Other protection below |
| Other protection | Overalls. P.V.C. |

Recommended material(s)

GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the:

"Forsberg Clothing Performance Index".

The effect(s) of the following substance(s) are taken into account in the *computer-generated* selection:

AMC SUPERLUBE™

| Material | CPI |
|------------------|-----|
| BUTYL | А |
| NATURAL RUBBER | А |
| NATURAL+NEOPRENE | А |
| NEOPRENE | А |
| NEOPRENE/NATURAL | А |
| NITRILE | А |
| PVA | А |
| PVC | А |

* CPI - Chemwatch Performance Index

A: Best Selection

B: Satisfactory; may degrade after 4 hours continuous immersion

C: Poor to Dangerous Choice for other than short term immersion

NOTE: As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation. -

* Where the glove is to be used on a short term, casual or infrequent basis,

factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| Appearance | Amber liquid; mixes with water. | | |
|----------------|---------------------------------|------------------------------|------|
| | | | |
| Physical state | Liquid | Relative density (Water = 1) | 0.95 |

Respiratory protection

Type AK-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Where the concentration of gas/particulates in the breathing zone, approaches or exceeds the "Exposure Standard" (or ES), respiratory protection is required. Degree of protection varies with both face-piece and Class of filter; the nature of protection varies with Type of filter.

| Required Minimum Protection Factor | Half-Face Respirator | Full-Face Respirator | Powered Air Respirator |
|---------------------------------------|-------------------------|-------------------------|-----------------------------|
| up to 10 x ES | AK-AUS P2 | - | AK-PAPR-AUS / Class 1 P2 |
| up to 50 x ES | - | AK-AUS / Class 1 P2 | - |
| up to 100 x ES | - | AK-2 P2 | AK-PAPR-2 P2 ^ |

^ - Full-face

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

| Odour | Not Available | Partition coefficient n-octanol / water | Not Available |
|---|----------------|--|----------------|
| Odour threshold | Not Available | Auto-ignition temperature (°C) | Not Applicable |
| pH (as supplied) | 7.0-9.0 | Decomposition temperature | Not Available |
| Melting point / freezing point (°C) | Not Available | Viscosity (cSt) | Not Available |
| Initial boiling point and boiling range (°C) | Not Available | Molecular weight (g/mol) | Not Applicable |
| Flash point (°C) | 210 | Taste | Not Available |
| Evaporation rate | Not Available | Explosive properties | Not Available |
| Flammability | Not Applicable | Oxidising properties | Not Available |
| Upper Explosive Limit (%) | Not Applicable | Surface Tension (dyn/cm or mN/m) | Not Available |
| Lower Explosive Limit (%) | Not Applicable | Volatile Component (%vol) | Not Available |
| Vapour pressure (kPa) | Not Applicable | Gas group | Not Available |
| Solubility in water | Miscible | pH as a solution (1%) | Not Available |
| Vapour density (Air = 1) | Not Applicable | VOC g/L | Not Available |

SECTION 10 STABILITY AND REACTIVITY

| Reactivity | See section 7 |
|-------------------------------------|--|
| Chemical stability | Unstable in the presence of incompatible materials. Product is considered stable. |
| Possibility of hazardous reactions | See section 7 |
| Conditions to avoid | See section 7 |
| Incompatible materials | See section 7 |
| Hazardous decomposition products | See section 5 |

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

| Inhaled | The material is not thought to produce adverse health effects or i using animal models). Nevertheless, good hygiene practice requires used in an occupational setting. | |
|--------------|---|------------|
| Ingestion | The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence. | |
| Skin Contact | The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting. | |
| Eye | Although the material is not thought to be an irritant (as classified transient discomfort characterised by tearing or conjunctival redn | |
| Chronic | Long-term exposure to the product is not thought to produce chronic effects adverse to health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course. | |
| | | |
| | ΤΟΧΙΟΙΤΥ | IRRITATION |

| | | IRRITATION |
|-----------------------------|--------------------------------------|---|
| AMC SUPERLUBE™ Not Avail | able | Not Available |
| ΤΟΧΙΟΙΤΥ | | IRRITATION |
| sodium sulfate Oral (rat) | LD50: >2000 mg/kg ^[1] | Eye: no adverse effect observed (not irritating) ^[1] |
| | | Skin: no adverse effect observed (not irritating) $^{[1]}$ |
| TOXICITY | | IRRITATION |
| triethanolamine dermal (r | at) LD50: >2000 mg/kg ^[2] | Eye (rabbit): 0.1 ml - |

| | Oral (rat) LD50: 4190 mg/kg ^[2] | Eye (rabbit): 10 mg - mild |
|---------|--|-----------------------------------|
| | | Eye (rabbit): 5.62 mg - SEVERE |
| | | minor conjunctival irritation |
| | | no irritation * |
| | | Skin (human): 15 mg/3d (int)-mild |
| | | Skin (rabbit): 4 h occluded |
| | | Skin (rabbit): 560 mg/24 hr- mild |
| Legend: | Legend: 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufa Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances | |

| SODIUM SULFATE | daily turnover of both ions (several grams/ | day expressed as sodium sulfate). Nea he counter-ion, but absorption capacity | l of natural foodstuffs and there is a considerable ar-complete absorption of dietary sulfates may y can be saturated at higher artificial dosages ve effector in mice. |
|--------------------------------------|--|--|---|
| TRIETHANOLAMINE | compounds, characterised by those used in overexposure to the majority of these mate Many amine-based compounds can ince effects, including bronchoconstriction o Systemic symptoms include headache, heartbeat), itching, erythema (reddenin affecting the body) that are related to the Typically, there are four routes of possible of Inhalation: Inhalation of vapors may, depending upon of exposure, result in moderate to severe in Products with higher vapour pressures have. The material may produce severe irritation irritants may produce conjunctivitis. The material may cause skin irritation after This form of dermatitis is often characterise. For triethanolamine (and its salts): Acute toxicity: Triethanolamine is of low to been shown to range from approximately 5. The substance is classified by IARC as Grown of carcinogenicity to Evidence of carcinogenicity may be inadequed norther: Substance has been shown to be mor change to cellular DNA. Lachrymation, diarrhoea, convulsions, uring the substance is classified by the substance is classified by | ves as contact eczema, more rarely as a cell-mediated (T lymphocytes) immur ull range of potential health effects pos in the manufacture of polyurethane and trials may cause adverse health effects duce histamine liberation, which, in turn is bronchial asthma and rhinitis. , nausea, faintness, anxiety, a decreas g of the skin), urticaria (hives), and fac ne pharmacological action of amines and or potential exposure: inhalation, skin of the physical and chemical properties of the physical and chemical properties of tritation of the tissues of the nose and the e a greater potential for higher airborn to the eye causing pronounced inflam prolonged or repeated exposure and in- ad by skin redness (erythema) and swe oxicity by the oral, dermal and inhalatio (-10 g/kg. 551teapcp oup 3:) humans. puate or limited in animal testing. nutagenic in at least one assay, or belo ary tract changes, changes in bladder rmatitis after systemic exposure, kidne | urticaria or Quincke's oedema. The ne reaction of the delayed type. Hed by exposure to the many different amine d polyisocyanurate foams, it is agreed that s. n, can trigger allergic and other physiological e in blood pressure, tachycardia (rapid cial edema (swelling). Systemic effects (those re usually transient. contact, eye contact, and ingestion. of the specific product and the degree and length throat and can irritate the lungs. He concentrations. mation. Repeated or prolonged exposure to may produce a contact dermatitis (nonallergic). elling epidermis. on routes of exposure. Oral LD50 values have pongs to a family of chemicals producing damage weight, changes in testicular weight, changes in ry, ureter, bladder tumours recorded. Equivocal |
| SODIUM SULFATE & TRIETHANOLAMINE | Asthma-like symptoms may continue for m non-allergenic condition known as reactive levels of highly irritating compound. | | the material ceases. This may be due to a 6) which can occur following exposure to high |
| Acute Toxicity | × | Carcinogenicity | × |
| Skin Irritation/Corrosion | × | Reproductivity | × |
| Serious Eye Damage/Irritation | × | STOT - Single Exposure | × |
| Respiratory or Skin sensitisation | × | STOT - Repeated Exposure | × |
| | | | |

✓ – Data evailable to make classification

Toxicity

| | ENDPOINT | TEST DURATION (HR) | SPECIES | VALUE | SOURCE |
|-----------------|------------------|-------------------------------------|--|-------------------------|------------------|
| AMC SUPERLUBE™ | Not Available | Not Available | Not Available | Not Available | Not Available |
| | ENDPOINT | TEST DURATION (HR) | SPECIES | VALUE | SOURCI |
| | EC50 | 48 | Crustacea | 2-564mg/L | 2 |
| sodium sulfate | EC50 | 96 | Algae or other aquatic plants | 1900mg/L | 4 |
| | NOEC | 168 | Fish | <220mg/L | 4 |
| | ENDPOINT | TEST DURATION (HR) | SPECIES | VALUE | SOURC |
| | LC50 | 96 | Fish | 11-800mg/L | 2 |
| | EC50 | 48 | Crustacea | 609.88mg/L | 2 |
| triethanolamine | EC50 | 96 | Algae or other aquatic plants | 169mg/L | 1 |
| | EC0 | 24 | Crustacea | 1-530mg/L | 2 |
| | NOEC | 504 | Crustacea | 16mg/L | 1 |
| Legend: | 3. EPIWIN Su | ite V3.12 (QSAR) - Aquatic Toxicity | e ECHA Registered Substances - Ecotoxicolo / Data (Estimated) 4. US EPA, Ecotox databa ITE (Japan) - Bioconcentration Data 7. METI | se - Aquatic Toxicity D | ata 5. |

May be harmful to fauna if not disposed of according to Section 13 and legislative requirements. [AMC]

Persistence and degradability

| Ingredient | Persistence: Water/Soil | Persistence: Air |
|-----------------|-------------------------|------------------|
| sodium sulfate | HIGH | HIGH |
| triethanolamine | LOW | LOW |

Bioaccumulative potential

| Ingredient | Bioaccumulation | |
|-----------------|------------------------|--|
| sodium sulfate | LOW (LogKOW = -2.2002) | |
| triethanolamine | LOW (BCF = 3.9) | |

Mobility in soil

| Ingredient | Mobility |
|-----------------|-------------------|
| sodium sulfate | LOW (KOC = 6.124) |
| triethanolamine | LOW (KOC = 10) |

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

| | Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. |
|---------------------|--|
| Product / Packaging | DO NOT allow wash water from cleaning or process equipment to enter drains. |
| disposal | It may be necessary to collect all wash water for treatment before disposal. |
| | Recycle wherever possible or consult manufacturer for recycling options. |
| | Consult State Land Waste Management Authority for disposal. |

SECTION 14 TRANSPORT INFORMATION

Labels Required

| Marine Pollutant | NO |
|------------------|----------------|
| HAZCHEM | Not Applicable |

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

SODIUM SULFATE IS FOUND ON THE FOLLOWING REGULATORY LISTS

Not Applicable

TRIETHANOLAMINE IS FOUND ON THE FOLLOWING REGULATORY LISTS

Not Applicable

National Inventory Status

| National Inventory | Status |
|----------------------------------|---|
| Australia - AICS | Yes |
| Canada - DSL | Yes |
| Canada - NDSL | No (triethanolamine; sodium sulfate) |
| China - IECSC | Yes |
| Europe - EINEC / ELINCS / NLP | Yes |
| Japan - ENCS | Yes |
| Korea - KECI | Yes |
| New Zealand - NZIoC | Yes |
| Philippines - PICCS | Yes |
| USA - TSCA | Yes |
| Taiwan - TCSI | Yes |
| Mexico - INSQ | Yes |
| Vietnam - NCI | Yes |
| Russia - ARIPS | Yes |
| Legend: | Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets) |

SECTION 16 OTHER INFORMATION

| Revision Date | 11/01/2019 |
|---------------|------------|
| Initial Date | 02/19/2008 |

SDS Version Summary

| Version | Issue Date | Sections Updated |
|----------|------------|--|
| 9.1.1.1 | 01/09/2018 | Name |
| 10.1.1.1 | 11/01/2019 | One-off system update. NOTE: This may or may not change the GHS classification |

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings.

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average PC-STEL: Permissible Concentration-Short Term Exposure Limit IARC: International Agency for Research on Cancer ACGIH: American Conference of Governmental Industrial Hygienists STEL: Short Term Exposure Limit TEEL: Temporary Emergency Exposure Limit。 IDLH: Immediately Dangerous to Life or Health Concentrations OSF: Odour Safety Factor NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.