

SAFETY DATA SHEET

EZ-MUD®

Revision Date: 09-Sep-2020

Revision Number: 44

1. Product Identifier & Identity for the Chemical

Statement of Hazardous Nature Non-Hazardous according to the criteria of the 3rd Revised Edition of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS), Non-Dangerous Goods according to the criteria of ADG.

1.1. Product Identifier

Product Name EZ-MUD®

Other means of Identification

Synonyms None

Hazardous Material Number: HM003643

Recommended use of the chemical and restrictions on use

Recommended Use Shale Inhibitor

Uses advised against No information available

Supplier's name, address and phone number

Manufacturer/Supplier Halliburton/Baroid Australia Pty. Ltd.
15 Marriott Road, Jandakot, WA 6164
Australia
ACN Number: 009 000 775
Telephone Number: + 61 1 800 686 951
Fax Number: 61 (08) 9455 5300
E-mail Address fdunexchem@halliburton.com

Emergency phone number

+ 61 1 800 686 951

Global Incident Response Access Code: 334305

Contract Number: 14012

Australian Poisons Information Centre

24 Hour Service: - 13 11 26

Police or Fire Brigade: - 000 (exchange): - 1100

2. Hazard Identification

Statement of Hazardous Nature Non-Hazardous according to the criteria of the 3rd Revised Edition of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS), Non-Dangerous Goods according to the criteria of ADG.

Classification of the hazardous chemical

Not classified

Label elements, including precautionary statements

Hazard Pictograms

Signal Word Not Hazardous

Hazard Statements: Not Classified

Precautionary Statements

Prevention None
Response None
Storage None
Disposal None

Contains

Substances

Hydrotreated light petroleum distillate
Ethoxylated branched C13 alcohol

CAS Number

64742-47-8
78330-21-9

Other hazards which do not result in classification

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).
This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

For the full text of the H-phrases mentioned in this Section, see Section 16

3. Composition/information on Ingredients

Substances	CAS Number	PERCENT (w/w)	GHS Classification - Australia
Hydrotreated light petroleum distillate	64742-47-8	10 - 30%	Asp. Tox. 1 (H304)
Ethoxylated branched C13 alcohol	78330-21-9	1 - 5%	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Corr. 1 (H318) Aquatic Acute 2 (H401) Aquatic Chronic 3 (H412)

4. First aid measures

Description of necessary first aid measures

Inhalation If inhaled, move victim to fresh air and seek medical attention.
Eyes In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.
Skin Wash with soap and water. Get medical attention if irritation persists. Remove contaminated shoes and discard.
Ingestion Do NOT induce vomiting. Give nothing by mouth. Obtain immediate medical attention.

Symptoms caused by exposure

Causes mild skin irritation.

Medical Attention and Special Treatment

Notes to Physician Treat symptomatically

5. Fire Fighting Measures

Suitable extinguishing equipment

Suitable Extinguishing Media

Water fog, carbon dioxide, foam, dry chemical.

Extinguishing media which must not be used for safety reasons

None known.

Specific hazards arising from the chemical

Special exposure hazards in a fire

Decomposition in fire may produce harmful gases. Use water spray to cool fire exposed surfaces.

Special protective equipment and precautions for fire fighters**Special protective equipment for firefighters**

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment. Avoid contact with skin, eyes and clothing. Avoid breathing vapors. Ensure adequate ventilation.

6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas.

6.3. Methods and material for containment and cleaning up

Isolate spill and stop leak where safe. Contain spill with sand or other inert materials. Scoop up and remove.

7. Handling and storage

7.1. Precautions for safe handling**Handling Precautions**

Use appropriate protective equipment. Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Ensure adequate ventilation. Wash hands after use. Launder contaminated clothing before reuse.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities**Storage Information**

Store away from oxidizers. Keep container closed when not in use. Store locked up. Product has a shelf life of 12 months.

Other Guidelines

No information available

8. Exposure Controls/Personal Protection

Control parameters - exposure standards, biological monitoring**Exposure Limits**

Substances	CAS Number	Australia NOHSC	ACGIH TLV-TWA
Hydrotreated light petroleum distillate	64742-47-8	Not applicable	Not applicable
Ethoxylated branched C13 alcohol	78330-21-9	Not applicable	Not applicable

Appropriate engineering controls**Engineering Controls**

A well ventilated area to control dust levels. Local exhaust ventilation should be used in areas without good cross ventilation.

Personal protective equipment (PPE)**Personal Protective Equipment**

If engineering controls and work practices cannot prevent excessive exposures, the selection and proper use of personal protective equipment should be determined by an industrial hygienist or other qualified professional based on the specific application of this product.

Respiratory Protection

If engineering controls and work practices cannot keep exposure below occupational exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard EN 149, AS/NZS 1715:2009, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should be performed by an Industrial Hygienist or other qualified professional. Organic vapor respirator with a dust/mist filter. (A2P2/P3) In high concentrations, supplied air respirator or a self-contained breathing apparatus.

Hand Protection

Chemical-resistant protective gloves (EN 374) Suitable materials for longer, direct contact

(recommended: protection index 6, corresponding to > 480 minutes permeation time as per EN 374): Nitrile gloves. (>= 8 mm thickness)

This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced. Manufacturer's directions for use should be observed because of great diversity of types.

Skin Protection

Rubber apron.

Eye Protection

Chemical goggles; also wear a face shield if splashing hazard exists.

Other Precautions

None known.

Environmental Exposure Controls

Do not allow material to contaminate ground water system.

9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical State: Liquid

Color: White to gray

Odor: Mild hydrocarbon

Odor Threshold: No information available

PropertyValues

Remarks/ - Method

pH:

6-8

Freezing Point / Range

No data available

Melting Point / Range

No data available

Pour Point / Range

No data available

Boiling Point / Range

175 °C / 347 °F

Flash Point

> 93 °C / > 200 °F (PMCC)

Evaporation rate

< 1

Vapor Pressure

0.002 mmHg

Vapor Density

No data available

Specific Gravity

1

Water Solubility

Partly soluble

Solubility in other solvents

No data available

Partition coefficient: n-octanol/water

No data available

Autoignition Temperature

> 200 °C / 392 °F

Decomposition Temperature

No data available

Viscosity

No data available

Explosive Properties

No information available

Oxidizing Properties

No information available

9.2. Other information**VOC Content (%)**

No data available

10. Stability and Reactivity

10.1. Reactivity

Not expected to be reactive.

10.2. Chemical stability

Stable

10.3. Possibility of hazardous reactions

Will Not Occur

10.4. Conditions to avoid

Keep away from heat, sparks and flame.

10.5. Incompatible materials

Strong oxidizers.

10.6. Hazardous decomposition products

Ammonia. Oxides of nitrogen. Carbon monoxide and carbon dioxide.

11. Toxicological Information

Information on routes of exposure

Principle Route of Exposure Eye or skin contact, inhalation.

Symptoms related to exposure**Most Important Symptoms/Effects**

Causes mild skin irritation.

Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Hydrotreated light petroleum distillate	64742-47-8	>5000 mg/kg-bw (rat) (similar substance)	>2000 mg/kg-bw (rabbit) (similar substance)	>5.2 mg/L (rat, 4 h, vapor) (similar substance)
Ethoxylated branched C13 alcohol	78330-21-9	1600 mg/kg-bw (rat) (similar substance)	>2000 mg/kg-bw (rabbit) (similar substance)	>0.22 mg/L (rat, 4h, aerosol, saturated) (similar substance)

Immediate, delayed and chronic health effects from exposure

Inhalation May cause mild respiratory irritation.
Eye Contact In vitro tests indicate that the product is not an eye irritant.
Skin Contact Causes mild skin irritation.
Ingestion May cause mild gastric distress.

Chronic Effects/Carcinogenicity No data available to indicate product or components present at greater than 0.1% are chronic health hazards.

Exposure Levels

No data available

Interactive effects

Lung disorders.

Data limitations

No data available

Substances	CAS Number	Skin corrosion/irritation
Hydrotreated light petroleum distillate	64742-47-8	Non-irritating to the skin (similar substances)
Ethoxylated branched C13 alcohol	78330-21-9	Skin, rabbit: Causes moderate skin irritation. (similar substances)

Substances	CAS Number	Serious eye damage/irritation
Hydrotreated light petroleum distillate	64742-47-8	Non-irritating to rabbit's eye (similar substances)
Ethoxylated branched C13 alcohol	78330-21-9	Eye, rabbit: Causes severe eye irritation which may damage tissue. (similar substances)

Substances	CAS Number	Skin Sensitization
Hydrotreated light petroleum distillate	64742-47-8	Did not cause sensitization on laboratory animals (guinea pig) (similar substances)
Ethoxylated branched C13 alcohol	78330-21-9	Did not cause sensitization on laboratory animals (guinea pig) (similar substances)

Substances	CAS Number	Respiratory Sensitization
Hydrotreated light petroleum distillate	64742-47-8	Based on available data, the classification criteria are not met.
Ethoxylated branched C13 alcohol	78330-21-9	Based on available data, the classification criteria are not met.

Substances	CAS Number	Mutagenic Effects
Hydrotreated light petroleum distillate	64742-47-8	In vitro tests did not show mutagenic effects. In vivo tests did not show mutagenic effects. (similar substances)
Ethoxylated branched C13 alcohol	78330-21-9	In vitro tests did not show mutagenic effects. In vivo tests did not show mutagenic effects. (similar substances)

alcohol		substances)
Substances	CAS Number	Carcinogenic Effects
Hydrotreated light petroleum distillate	64742-47-8	Did not show carcinogenic effects in animal experiments (similar substances)
Ethoxylated branched C13 alcohol	78330-21-9	Did not show carcinogenic effects in animal experiments (similar substances)
Substances	CAS Number	Reproductive toxicity
Hydrotreated light petroleum distillate	64742-47-8	Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal experiments. (similar substances)
Ethoxylated branched C13 alcohol	78330-21-9	Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal experiments. (similar substances)
Substances	CAS Number	STOT - single exposure
Hydrotreated light petroleum distillate	64742-47-8	No significant toxicity observed in animal studies at concentration requiring classification.
Ethoxylated branched C13 alcohol	78330-21-9	No significant toxicity observed in animal studies at concentration requiring classification. (similar substances)
Substances	CAS Number	STOT - repeated exposure
Hydrotreated light petroleum distillate	64742-47-8	No significant toxicity observed in animal studies at concentration requiring classification. (similar substances)
Ethoxylated branched C13 alcohol	78330-21-9	No significant toxicity observed in animal studies at concentration requiring classification. (similar substances)
Substances	CAS Number	Aspiration hazard
Hydrotreated light petroleum distillate	64742-47-8	Aspiration into the lungs may cause chemical pneumonitis including coughing, difficulty breathing, wheezing, coughing up blood and pneumonia, which can be fatal.
Ethoxylated branched C13 alcohol	78330-21-9	Based on available data, the classification criteria are not met.

12. Ecological Information

Ecotoxicity

Substance Ecotoxicity Data

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Hydrotreated light petroleum distillate	64742-47-8	ErL50(72 h)>10000 mg/L (Skeletonema costatum)	LC50(96 h)>10000 mg/L (Scophthalmus maximus) NOELR(28 d)>1000 mg/L (fish)	No information available	LC50(48 h)>10000 mg/L (Acartia tonsa) NOELR(21 d)=1000 mg/L (Daphnia magna)
Ethoxylated branched C13 alcohol	78330-21-9	IC50(72 h)=1-10 mg/L (Desmodesmus subspicatus)	LC50(96 h)=1-10 mg/L (Cyprinus carpio)	No information available	EC50(48 h)=1-10 mg/L (Daphnia magna) NOAEC (21d) 0.77 mg/L (Daphnia magna)

12.2. Persistence and degradability

Substances	CAS Number	Persistence and Degradability
Hydrotreated light petroleum distillate	64742-47-8	Readily biodegradable (68.1% @ 28d)
Ethoxylated branched C13 alcohol	78330-21-9	Readily biodegradable (> 60% @ 28d)

12.3. Bioaccumulative potential

Substances	CAS Number	Bioaccumulation
Hydrotreated light petroleum distillate	64742-47-8	No information available
Ethoxylated branched C13 alcohol	78330-21-9	Not Bioaccumulative; BCF = 12.7 - 237 L/Kg

12.4. Mobility in soil

Substances	CAS Number	Mobility
------------	------------	----------

Hydrotreated light petroleum distillate	64742-47-8	No information available
Ethoxylated branched C13 alcohol	78330-21-9	No information available

12.6. Other adverse effects**Endocrine Disruptor Information**

This product does not contain any known or suspected endocrine disruptors

13. Disposal Considerations

Safe handling and disposal methods

Disposal should be made in accordance with federal, state, and local regulations. Incineration recommended in approved incinerator according to federal, state, and local regulations.

Disposal of any contaminated packaging

Follow all applicable national or local regulations.

Environmental regulations

Not applicable

14. Transport Information

Transportation Information**Australia ADG**

UN Number	Not restricted
UN proper shipping name:	Not restricted
Transport Hazard Class(es):	Not applicable
Packing Group:	Not applicable
Environmental Hazards:	Not applicable

IMDG/IMO

UN Number	Not restricted
UN proper shipping name:	Not restricted
Transport Hazard Class(es):	Not applicable
Packing Group:	Not applicable
Environmental Hazards:	Not applicable

IATA/ICAO

UN Number	Not restricted
UN proper shipping name:	Not restricted
Transport Hazard Class(es):	Not applicable
Packing Group:	Not applicable
Environmental Hazards:	Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

Special precautions during transport

None

HazChem Code

None Allocated

15. Regulatory Information

Safety, health and environmental regulations specific for the product**International Inventories****Australian AICS Inventory**

All components are listed on the AIIIC or are subject to a relevant exemption, permit, or assessment certificate.

New Zealand Inventory of

All components are listed on the NZIoC or are subject to a relevant exemption, permit, or

Chemicals assessment certificate.
US TSCA Inventory All components listed on inventory or are exempt.
Canadian Domestic Substances List (DSL) All components listed on inventory or are exempt.

Poisons Schedule number

None Allocated

International Agreements

Montreal Protocol - Ozone Depleting Substances:	Does not apply.
Stockholm Convention - Persistent Organic Pollutants:	Does not apply.
Rotterdam Convention - Prior Informed Consent:	Does not apply.
Basel Convention - Hazardous Waste:	Does not apply.

16. Other information

Date of preparation or review**Revision Date:** 09-Sep-2020**Revision Note**

SDS sections updated:

2

Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed
H304 - May be fatal if swallowed and enters airways
H315 - Causes skin irritation
H318 - Causes serious eye damage
H412 - Harmful to aquatic life with long lasting effects

Additional information

For additional information on the use of this product, contact your local Halliburton representative.

For questions about the Safety Data Sheet for this or other Halliburton products, contact Chemical Stewardship at 1-580-251-4335.

Key abbreviations or acronyms used

bw – body weight
CAS – Chemical Abstracts Service
EC50 – Effective Concentration 50%
LC50 – Lethal Concentration 50%
LD50 – Lethal Dose 50%
LL50 – Lethal Loading 50%
mg/kg – milligram/kilogram
mg/L – milligram/liter
NOEC – No Observed Effect Concentration
OEL – Occupational Exposure Limit
PBT – Persistent Bioaccumulative and Toxic
ppm – parts per million
STEL – Short Term Exposure Limit
TWA – Time-Weighted Average
vPvB – very Persistent and very Bioaccumulative
h - hour
mg/m³ - milligram/cubic meter
mm - millimeter
mmHg - millimeter mercury
w/w - weight/weight
d - day

Key literature references and sources for data

www.ChemADVISOR.com/
NZ CCID

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Safety Data Sheet