

HALLIBURTON

SAFETY DATA SHEET QUIK-GEL GOLD®

Revision date: 25-Mar-2024

Revision Number: 16

Section 1: Identification: Product identifier and chemical identity

Product identifier

Product Name QUIK-GEL GOLD®

Product Code(s) HM006323

Other means of identification

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Viscosifier

Uses advised against No information available.

Details of manufacturer or importer

Halliburton Australia Pty. Ltd.
15 Marriott Road, Jandakot, WA 6164
Australia
ACN Number: 009 000 775
Telephone Number: + 61 (08) 6424 4800

For further information, please contact

fdunexchem@halliburton.com

Emergency telephone number

Australia Emergency Telephone Number + 61 1 800 686 951
Global Incident Response Access Code: 334305
Contract Number: 14012

Australian Poisons Information Centre 24 Hour Service: - 13 11 26
Police or Fire Brigade: - 000 (exchange): - 1100

Section 2: Hazard(s) identification

Statement of Hazardous Nature: Hazardous according to the criteria of the 7th Revised Edition of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS), Non-Dangerous Goods according to the criteria of ADG.

GHS Classification

Carcinogenicity	Category 1A
Specific target organ toxicity — repeated exposure	Category 2

Label elements



Signal word
DANGER

Hazard statements

May cause cancer.
May cause damage to organs through prolonged or repeated exposure.

Precautionary Statements - Prevention

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Wear protective gloves/clothing and eye/face protection.
Do not breathe dust/fume/gas/mist/vapours/spray.

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention.

Precautionary Statements - Storage

Store locked up.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Other hazards which do not result in classification

No information available.

Section 3: Composition/information on ingredients

Chemical name	CAS No.	Weight-%
Crystalline silica, quartz	14808-60-7	1 - 5%
Non-hazardous ingredients	Proprietary	Balance

If CAS number is "proprietary", the specific chemical identity and percentage of composition has been withheld as a trade secret

Section 4: First aid measures

Description of first aid measures

General advice	IF exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor.
Skin contact	Wash skin with soap and water.
Ingestion	Rinse mouth.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Effects of Exposure No information available.

Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

Section 5: Firefighting measures**Suitable Extinguishing Media**

Suitable extinguishing media All standard fire fighting media.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the chemical

Specific hazards arising from the chemical No information available.

Amorphous silica may transform at elevated temperatures to tridymite (870 C) or cristobalite (1470 C).

Special protective actions for fire-fighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

Section 6: Accidental release measures**Personal precautions, protective equipment and emergency procedures**

Personal precautions Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: Handling and storage, including how the chemical may be safely used**Precautions for safe handling**

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation.

General hygiene considerations If engineering controls and work practices cannot prevent excessive exposures, the selection and proper use of personal protective equipment should be determined by an

industrial hygienist or other qualified professional based on the specific application of this product. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Do not reuse empty container. Use good housekeeping in storage and work areas to prevent accumulation of dust. Close container when not in use. Keep from excessive heat. Product has a shelf life of 24 months.

Incompatible materials Hydrofluoric acid.

Section 8: Exposure controls and personal protection

Control parameters

Exposure Limits

Chemical name	Australia	New Zealand	ACGIH TLV
Crystalline silica, quartz 14808-60-7	TWA: 0.05 mg/m ³	TWA: 0.05 mg/m ³	-

Chemical name	OSHA PEL	NIOSH
Crystalline silica, quartz 14808-60-7	TWA: 50 µg/m ³ (vacated) TWA: 0.1 mg/m ³ respirable dust : (250)/(%SiO ₂ + 5) mppcf TWA respirable fraction : (10)/(%SiO ₂ + 2) mg/m ³ TWA respirable fraction	IDLH: 50 mg/m ³ respirable dust TWA: 0.05 mg/m ³ respirable dust

Biological occupational exposure limits This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Appropriate engineering controls

Engineering controls Use approved industrial ventilation and local exhaust as required to maintain exposures below applicable exposure limits.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses or goggles to protect against exposure.

Skin and body protection Wear clothing appropriate for the work environment. Dusty clothing should be laundered before reuse. Use precautionary measures to avoid creating dust when removing or laundering clothing. Wear suitable protective clothing.

Hand protection Normal work gloves. Wear suitable gloves.

Respiratory protection Not normally needed. But if significant exposures are possible then the following respirator is recommended:
Dust/mist respirator. (N95, P2/P3).

Environmental exposure controls No information available.

Other protective equipment None known.

Thermal hazards No information available.

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state	Solid
Appearance	No information available
Colour	Tan
Odour	Mild earthy.
Odour threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	8.5-9.5 (3%)	None known
Melting point / freezing point	No data available	
Initial boiling point and boiling range		
Flash point	No data available	None known
Evaporation rate	No data available	
Flammability	No data available	
Flammability Limit in Air		
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapour pressure	No data available	
Relative vapour density	No data available	
Relative density	2.5 - 2.6	
Water solubility	Partly soluble	
Solubility(ies)	No data available	
Partition coefficient	No data available	
Autoignition temperature	No data available	
Decomposition temperature		
Kinematic viscosity	No data available	
Dynamic viscosity	No data available	
<u>Other information</u>		
VOC content	No information available	
Particle characteristics	No information available	

Section 10: Stability and reactivity

Reactivity

Reactivity No information available.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid None known based on information supplied.

Incompatible materials

Incompatible materials Hydrofluoric acid.

Hazardous decomposition products

Hazardous decomposition products Amorphous silica may transform at elevated temperatures to tridymite (870 C) or cristobalite (1470 C).

Section 11: Toxicological information**Information on likely routes of exposure**

Principle Route of Exposure Eye or skin contact, inhalation, Ingestion, Skin contact, Eye contact, Inhalation

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available.

Symptoms No information available.

Acute toxicity**Numerical measures of toxicity - Product Information**

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	99,999.00 mg/kg
ATEmix (dermal)	99,999.00 mg/kg
ATEmix (inhalation-gas)	99,999.00 ppm
ATEmix (inhalation-vapour)	99,999.00 mg/l
ATEmix (inhalation-dust/mist)	99,999.00 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Crystalline silica, quartz	> 15000 mg/kg (human)	-	-

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure**Skin corrosion/irritation**

Chemical name	Skin corrosion/irritation
Crystalline silica, quartz 14808-60-7	Non-irritating to the skin

Serious eye damage/eye irritation

Chemical name	Serious eye damage/eye irritation
Crystalline silica, quartz 14808-60-7	Non-irritating to the eye

Respiratory or skin sensitisation

Chemical name	Respiratory sensitisation
Crystalline silica, quartz 14808-60-7	Not classified

Chemical name	Skin sensitisation
Crystalline silica, quartz 14808-60-7	Not classified

Germ cell mutagenicity

Chemical name	Germ cell mutagenicity
Crystalline silica, quartz 14808-60-7	Not regarded as mutagenic.

Carcinogenicity

Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

Chemical name	Carcinogenicity
Crystalline silica, quartz 14808-60-7	Contains crystalline silica which may cause silicosis, a delayed and progressive lung disease. The IARC and NTP have determined there is sufficient evidence in humans of the carcinogenicity of crystalline silica with repeated respiratory exposure.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	Australia	European Union	IARC
Crystalline silica, quartz - 14808-60-7	Carc. 1A	-	Group 1

Legend

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Reproductive toxicity

Chemical name	Reproductive toxicity
Crystalline silica, quartz 14808-60-7	This product does not contain any known or suspected reproductive hazards

STOT - single exposure

Chemical name	STOT - single exposure
Crystalline silica, quartz 14808-60-7	No significant toxicity observed in animal studies at concentration requiring classification.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Chemical name	STOT - repeated exposure
Crystalline silica, quartz 14808-60-7	Causes damage to organs through prolonged or repeated exposure if inhaled: (Lungs)

Aspiration hazard

Chemical name	Aspiration hazard
Crystalline silica, quartz 14808-60-7	Based on available data, the classification criteria are not met

Section 12: Ecological information**Ecotoxicity****Aquatic ecotoxicity****Unknown aquatic toxicity**

0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Crystalline silica, quartz	EC50(72 h)=440 mg/L (Pseudokirchneriella subcapitata)	LL0(96 h)=10000 mg/L (Danio rerio)	-	LL50(24 h)>10000 mg/L (Daphnia magna)

Terrestrial ecotoxicity There is no data for this product.

Persistence and degradability

Chemical name	Persistence and degradability
Crystalline silica, quartz 14808-60-7	The methods for determining biodegradability are not applicable to inorganic substances.

Bioaccumulation There is no data for this product.

Mobility

Chemical name	Mobility
Crystalline silica, quartz 14808-60-7	No information available

Other adverse effects

Section 13: Disposal considerations

Disposal methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

See section 8 for more information

Section 14: Transport information

ADG Not regulated

IATA Not regulated

IMDG Not regulated

Transport in bulk according to Annex II of MARPOL and the IBC Code
No information available

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

See section 8 for national exposure control parameters

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

Poison Schedule Number 4 2 6 5**Australian Industrial Chemicals Introduction Scheme (AICIS)**

Chemical name	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information	Crystalline silica, quartz - 14808-60-7
Contact supplier for inventory compliance status	-		

Illicit Drug Precursors/Reagents

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

International Inventories**TSCA**

All components listed on inventory or are exempt

AIIC

All components listed on inventory or are exempt

NZIoC

All components listed on inventory or are exempt

Legend:**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory**AIIC** - Australian Inventory of Industrial Chemicals**NZIoC** - New Zealand Inventory of Chemicals**International Regulations****The Montreal Protocol on Substances that Deplete the Ozone Layer** Not applicable**The Stockholm Convention on Persistent Organic Pollutants** Not applicable**The Rotterdam Convention** Not applicable**Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal** Not applicable**Section 16: Any other relevant information****Revision date** 25-Mar-2024**Reason for revision** Update to Format**Key or legend to abbreviations and acronyms used in the safety data sheet**

ADR - The European Agreement concerning the International Carriage of Dangerous Goods by Road

AS/NZS 1715 - New Zealand Standard on Selection, use and maintenance of respiratory protective equipment

bw – body weight

C - Celsius

CAS – Chemical Abstracts Service

CLP – REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on Classification, Labelling and Packaging of substances and mixtures

EC – European Commission
EC10 – Effective Concentration 10%
EC50 – Effective Concentration 50%
EEC – European Economic Community
EN 149 - European standard on filtering halfmasks to protect against particles
ErC50 – Effective Concentration growth rate 50%
EN 374 - European standard on Protective gloves against chemicals and micro-organisms
FFP - Filtering Facepieces
h - hour
IATA/ICAO - International Air Transport Association / International Civil Aviation Organization
IBC Code – International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
LC50 – Lethal Concentration 50%
IMDG/IMO - International Maritime Dangerous Goods / International Maritime Organization
LD50 – Lethal Dose 50%
LL0 – Lethal Loading 0%
LL50 – Lethal Loading 50%
MAK - Maximum Workplace Concentration
MARPOL – International Convention for the Prevention of Pollution from Ships
mg/kg – milligram/kilogram
mg/L – milligram/liter
mg/m³ - milligram/cubic meter
mm - millimeter
mmHg - millimeter mercury
NIOSH – National Institute for Occupational Safety and Health
NOEC – No Observed Effect Concentration
NDS - najwyższe dopuszczalne stężenie na stanowisku pracy
NDS - OEL-TWA [Poland najwyższe dopuszczalne stężenie na stanowisku pracy]
NTP – National Toxicology Program
OEL – Occupational Exposure Limit
PBT – Persistent Bioaccumulative and Toxic
PC – Chemical Product category
PEL – Permissible Exposure Limit
ppm – parts per million
PROC – Process category
REACH – REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals
R/H-phrases - Risk/Hazard-phrases
RID - The European Agreement concerning the International Carriage of Dangerous Goods by Rail
STEL – Short Term Exposure Limit
SU – Sector of Use category
SZW - Netherlands Ministry of Social Affairs and Employment
TWA – Time-Weighted Average
UK - United Kingdom
UN – United Nations
VLA-EC - short-time excursion limits [Spain valores límite ambientales para la exposición de corta duración]
VLA-ED - time-weighted average values for a whole work shift [Spain valores límite ambientales para la exposición diaria]
VOC – Volatile Organic Carbon
vPvB – very Persistent and very Bioaccumulative
w/w - weight/weight
ADR - The European Agreement concerning the International Carriage of Dangerous Goods by Road
AS/NZS 1715 - New Zealand Standard on Selection, use and maintenance of respiratory protective equipment
bw – body weight
C - Celsius
CAS – Chemical Abstracts Service
CLP – REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on Classification, Labelling and Packaging of substances and mixtures
EC – European Commission
EC10 – Effective Concentration 10%
EC50 – Effective Concentration 50%
EEC – European Economic Community
EN 149 - European standard on filtering halfmasks to protect against particles
ErC50 – Effective Concentration growth rate 50%

EN 374 - European standard on Protective gloves against chemicals and micro-organisms
 FFP - Filtering Facepieces
 h - hour
 IATA/ICAO - International Air Transport Association / International Civil Aviation Organization
 IBC Code – International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
 LC50 – Lethal Concentration 50%
 IMDG/IMO - International Maritime Dangerous Goods / International Maritime Organization
 LD50 – Lethal Dose 50%
 LL0 – Lethal Loading 0%
 LL50 – Lethal Loading 50%
 MAK - Maximum Workplace Concentration
 MARPOL – International Convention for the Prevention of Pollution from Ships
 mg/kg – milligram/kilogram
 mg/L – milligram/liter
 mg/m³ - milligram/cubic meter
 mm - millimeter
 mmHg - millimeter mercury
 NIOSH – National Institute for Occupational Safety and Health
 NOEC – No Observed Effect Concentration
 NDS - najwyższe dopuszczalne stężenie na stanowisku pracy
 NDS - OEL-TWA [Poland najwyższe dopuszczalne stężenie na stanowisku pracy]
 NTP – National Toxicology Program
 OEL – Occupational Exposure Limit
 PBT – Persistent Bioaccumulative and Toxic
 PC – Chemical Product category
 PEL – Permissible Exposure Limit
 ppm – parts per million
 PROC – Process category
 REACH – REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals
 R/H-phrases - Risk/Hazard-phrases
 RID - The European Agreement concerning the International Carriage of Dangerous Goods by Rail
 STEL – Short Term Exposure Limit
 SU – Sector of Use category
 SZW - Netherlands Ministry of Social Affairs and Employment
 TWA – Time-Weighted Average
 UK - United Kingdom
 UN – United Nations
 VLA-EC - short-time excursion limits [Spain valores límite ambientales para la exposición de corta duración]
 VLA-ED - time-weighted average values for a whole work shift [Spain valores límite ambientales para la exposición diaria]
 VOC – Volatile Organic Carbon
 vPvB – very Persistent and very Bioaccumulative
 w/w - weight/weight

Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	Sk*	Skin designation
+	Sensitisers		

Key literature references and sources for data used to compile the SDS

Acute Exposure Guideline Level(s) (AEGl(s))
 European Chemicals Agency (ECHA) (ECHA_API)
 European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)
 Hazardous Substance Database
 International Uniform Chemical Information Database (IUCLID)
 NIOSH (National Institute for Occupational Safety and Health)

Disclaimer

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Safety Data Sheet